

Please replace the paragraph beginning on page 7, line 23, with the following replacement paragraph:

--Tablets were prepared with the following composition per tablet:

D2

Disodium clodronate tetrahydrate	1000 mg	responding
anhydrous disodium clodronate	800 mg	
Silicified microcrystalline cellulose	155 mg	
Croscarmellose sodium	22 mg	
Stearic Acid	15 mg	
Magnesium stearate	8 mg--	

Please replace the paragraph beginning on page 8, line 6, with the following replacement paragraph:

--Tablets were prepared with the following composition per tablet:

D3

Disodium clodronate tetrahydrate	1000 mg	responding
anhydrous disodium clodronate	800 mg	
Silicified microcrystalline cellulose	155 mg	
Croscarmellose sodium	22 mg	
Stearic Acid	15 mg	
Magnesium stearate	8 mg--	

Please replace the paragraph beginning on page 8, line 21, with the following replacement paragraph:

--Tablets were prepared with the following composition per

D4

tablet:

Disodium clodronate tetrahydrate 1000 mg responding

anhydrous disodium clodronate	800 mg
Silicified microcrystalline cellulose	140 mg
Croscarmellose sodium	22 mg
Stearic Acid	15 mg
Polyvinylpyrrolidone	15 mg
Magnesium stearate	8 mg--

Please replace the paragraph beginning on page 9, line 6, with the following replacement paragraph:

--Tablets were prepared with the following composition per tablet:

Disodium clodronate tetrahydrate 1000 mg responding

anhydrous disodium clodronate	800 mg
Silicified microcrystalline cellulose	125 mg
Croscarmellose sodium	22 mg
Stearic Acid	15 mg
Magnesium stearate	8 mg--

Please replace the paragraph beginning on page 9, line 20, with the following replacement paragraph:

--Tablets were prepared with the following composition per tablet:

Disodium clodronate tetrahydrate 1000 mg responding

anhydrous disodium clodronate	800 mg
-------------------------------	--------

D6  
cancel

Silicified microcrystalline cellulose	132 mg
Croscarmellose sodium	22 mg
Stearic Acid	15 mg
Magnesium stearate	8 mg--

---

Please replace the paragraph beginning on page 10, line 3, with the following replacement paragraph:

--Tablets were prepared with the following composition per tablet:

D7

Disodium clodronate tetrahydrate 1000 mg responding	
anhydrous disodium clodronate	800 mg
Silicified microcrystalline cellulose	165 mg
Croscarmellose sodium	22 mg
Stearic Acid	15 mg
Magnesium stearate	8 mg--

---

Please replace the paragraph beginning on page 11, line 1, with the following replacement paragraph:

D8

--Disodium clodronate tetrahydrate 1000 mg responding	
anhydrous disodium clodronate	800 mg
Microcrystalline cellulose (Emcocel 50 M)	132 mg
Croscarmellose sodium	22 mg
Stearic Acid	15 mg
Magnesium stearate	8 mg--

---